Technical Evaluation of Disposable of Angio Cardiology 2016-17

OFFICE OF THE MEDICAL SUPERINTENDENT,
PUNJAB INSTITUTE OF CARDIOLOGY, LAHORE,
Ph.#. Off.042-99200031 (Ext.313), 042-99203051-61, FAX.#.042-99203204

1 E C G Chest Electrode for ETT, Adult, QTY = 170000

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
12	M/s. Cardiac Care,	Adult	FIAB, Italy	1	10+10+8+5+5 +6+5=49	OK
1	M/s ESS & ESS Enterprises,	Adult	Top Trace, Ceracarta, Italy	1	8+10+8+5+10 +5+5=50	OK
27	M/s. Hakim Sons Pvt. Ltd.,	60mm	Swarromed Nessler, Austria		6+5+5+10+5+ 5+5=45	OK
29	M/s. MAGMA	Monitoring Electordes Adhesive foam-tape backing and proprietary sticky gel 1.57 x 1.3 inch CE Marked Monitoring	Monitoring Electrode, 3M	50	8+10+8+5+10 +5+5=51	OK
28	M/s. Summit Inter Trade		Telectrode ECG Electrode, Bio Protech(T-715), Korea		8+10+5+5+10 +6+5=49	NOT RECOMMENDED

2 E C G Roll , 63 MM, QTY = As per Demand

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
20	M/s. Skurdu Surgical Supplies,	63 mm	ECG paper 63mm, AB Group Medical SA, Spain		8+10+8+5+6+ 6+5=48	OK

15	M/s. Friends Enterprises,	63 mm	Sonomed, Tele-Paper, Malaysia	1	8+10+5+5+10 +6+5=49	NOT ACCEPTABLE

3 E C G "Z" Fold Paper Six Channel, Standard, QTY = 4500

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
20	M/s. Skurdu Surgical Supplies,	Standard	Lessa, AB Group Medical SA, Spain		8+10+8+5+6+ 6+5=48	NOT ACCEPTABLE
15	M/s. Friends Enterprises,	110 mm x 140mm x 142 sh	Fukuda Denish, Telepaper, Malaysia	1	8+10+5+5+10 +6+5=49	OK

4 E C G / Ultra Sound Gell , 5 Kg, Can, QTY = 200

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
20	M/s. Skurdu Surgical Supplies,	5kg Can	Quality, Toyo Laboratories, Pakistan		8+10+8+5+6+ 5+5=48	OK
15	M/s. Friends Enterprises,	5kg Can	Sky Gel, ISD Meditech	5 Kg	8+10+5+5+10 +6+5=49	OK

OFFICE OF THE MEDICAL SUPERINTENDENT,
PUNJAB INSTITUTE OF CARDIOLOGY, LAHORE,
Ph.#. Off.042-99200031 (Ext.313), 042-99203051-61, FAX.#.042-99203204

5 Echo Gel , 5 Kg, Can, QTY = 35

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
1	M/s ESS & ESS Enterprises,		Aquasonic 100, Parker Labs Inc., USA		8+10+8+5+10 +5+5=50	OK
20	M/s. Skurdu Surgical Supplies,	5Kg Can	Aquasonic 100, Parker Labs Inc., USA		8+10+8+5+6+ 6+5=48	OK
15	M/s. Friends Enterprises,	5Kg Can	Sky Gel, ISD Meditech, Malaysia	5 kg	8+10+5+5+10 +6+5=49	NOT ACCEPTABLE

OFFICE OF THE MEDICAL SUPERINTENDENT,
PUNJAB INSTITUTE OF CARDIOLOGY, LAHORE,
Ph.#. Off.042-99200031 (Ext.313), 042-99203051-61, FAX.#.042-99203204

6 - Diagnostic Judkin's Lt. Coro. Catheter (high flow), Good Torque, Good Maneuverability, Good Opticifiation on X - Ray, 4 F - to - 7 F, QTY = 8000

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
19	M/s. ACP Systems,	4Fr ro 7Fr	Sitesteer Medtronic, Mexicao	10	10+10+8+5+5 +8+5=52	NOT ACCEPTABLE
26	M/s. ATCO, Laboratories Ltd., ,	FDA Approved	Alvision, Alvimedica, Turkey	5	8+10+5+5+6+ 8+5=48	NOT ACCEPTABLE
13	M/s. Pak Punjab CardexMedical System,	All Sizes & All Lengths	Infiniti, Super Torque & Quick Care Infinte, Cordis,USA/ EU/ Mexico		10+10+8+5+1 0+5+5=53	OK
7	M/s Feroz Sons Laboratories	5F, 6F	Impulse/Expo	5	10+10+8+5+1 0+8+5=54	NOT ACCEPTABLE
10	M/s. Intek Corporation	4F, 5F, 6F	Optitorque, Terumo, Japan	5	10+10+5+5+6 +6+5=47	OK
3	M/s Health Tec,	4F-7F	Pointer Hydrophillic Coated Pendra Care, Netherland		8+10+8+5+5+ 7+5=48	NOT ACCEPTABLE

7 Diagnostic Judkin's Rt. Coro.Catheter (high flow), Good Torque, Good Maneuverability, Good Opticifiation on X - Ray, 4 F - to - 7 F, QTY = 8000

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
13	M/s. Pak Punjab CardexMedical System,	All Sizes & All Lengths	Infiniti, Super Torque & Quick Care Infinte, Cordis,USA/ EU/ Mexico		10+10+8+5+1 0+5+5=53	OK
7	M/s Feroz Sons Laboratories	5F, 6F	Impulse/Expo	5	10+10+8+5+1 0+8+5=54	NOT ACCEPTABLE
19	M/s. ACP Systems,	4Fr ro 7Fr	Sitesteer Medtronic, Mexico	10	10+10+8+5+5 +8+5=52	NOT ACCEPTABLE
10	M/s. Intek Corporation	4F, 5F, 6F	Optitorque, Terumo, Japan	5	10+10+5+5+6 +6+5=47	OK

26	M/s. ATCO, Laboratories Ltd., ,	FDA Approved	Alvision, Alivimedica, Turkey	1	8+10+5+5+6+ 8+5=48	NOT ACCEPTABLE
3	M/s Health Tec,	4F-7F	Pointer Hydrophillic Coated Pencra Care, Netherland		8+10+8+5+5+ 7+5=48	NOT ACCEPTABLE

8 Coro.Bypass Rt. Catheter (high flow), Good Torque, Good Maneuverability, Good Opticifiation on X - Ray, 4 F - to - 7 F, QTY = 100

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
19	M/s. ACP Systems,	4Fr rc 7Fr	Sitesteer Medtronic, Mexicao	10	10+10+8+5+5 +8+5=52	OK
13	M/s. Pak Punjab CardexMedical System,	All Sizes & All Lengths	Infiniti, Super Torque & Quick Care Infinte, Cordis,USA/ EU/ Mexico		10+10+8+5+1 0+5+5=53	OK
26	M/s. ATCO, Laboratories Ltd., ,	FDA Approved	Alvision, Alivimedica, Turkey	1	8+10+5+5+6+ 8+5=48	OK

9 Coro.Bypass Lt. Catheter (high flow), Good Torque, Good Maneuverability, Good Opticifiation., 4 F - to - 7 F, QTY = 100

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
19	M/s. ACP Systems,	4Fr ro 7Fr	Sitesteer Medtronic, Mexicao	10	10+10+8+5+5 +8+5=52	OK
13	M/s. Pak Punjab CardexMedical System,	All Sizes & All Lengths	Infiniti, Super Torque & Quick Care Infinte, Cordis,USA/ EU/ Mexico		10+10+8+5+1 0+5+5=53	OK
26	M/s. ATCO, Laboratories Ltd., ,	FDA Approved	Alvision, Alivimedica, Turkey	1	8+10+5+5+6+ 8+5=48	OK

OFFICE OF THE MEDICAL SUPERINTENDENT,
PUNJAB INSTITUTE OF CARDIOLOGY, LAHORE,
Ph.#. Off.042-99200031 (Ext.313), 042-99203051-61, FAX.#.042-99203204

10 Diagnostic Left and Right Cornary Catheters (Other Curves) Like AL,AR, Radial, NTR, TG, SIMS, Head Hunter, ,Qty = 200

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
13	M/s. Pak Punjab CardexMedical System,	AL, AR.NTR, (SRC)	Quick Care Infiniti, Super Torque J, High Flow, Cordis J & J, USA/ EU/ Mexico		10+10+8+5+1 0+5+5=53	OK
13	M/s. Pak Punjab CardexMedical System,	Radila, RBL. RBLA, Radial Bi-lateral	Quick Care Infiniti, Super Torque J, High Flow, Cordis J & J, USA/ EU/ Mexico		10+10+8+5+1 0+5+5=53	OK
13	M/s. Pak Punjab CardexMedical System,	Head Hunter, SIMS	Tempo, Tempo Aqua Cordis J & J, USA/ EU/ Mexico		10+10+8+5+1 0+5-5=53	OK
7	M/s Feroz Sons Laboratories	5F, 6F	Impulse/Expo	5	10+10+8+5+1 0+8+5=54	NOT ACCEPTABLE
19	M/s. ACP Systems,		Sitesteer Medtronic, Mexico	5	10+10+8+5+5 +8+5=52	OK
10	M/s. Intek Corporation	5F, 6F	Optitorque TIG, AL, AR, SIMS, Head Hunter, Terumo, Japan	5	10+10+5+5+6 +6+5=47	OK

26	M/s. ATCO, Laboratories Ltd., .	FDA Approved	Alvision Alivimedica, Turkey	1	8+10+5+5+6+ 8+5=48	OK
3	M/s Health Tec,		Pointer Hydrophillic Coated Pendra Care, Netherland		8+10+8+5+5+ 7+5=48	NOT ACCEPTABLE

11 **Teflon Coated Guidewire (Curved) J-Tip, 0.035" x 260cm, QTY = 8000**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
19	M/s. ACP Systems,	0.035*260cm J	Medtronic, USA	10	10+10+8+5+5 +8+5=52	OK
4	M/s. Alliance Medical	0.0356 * 260 cm	Biosensors, Singapoore		8+10+8+5+10 +7+5=53	NOT ACCEPTABLE
13	M/s. Pak Punjab CardexMedical System,	0.035 * 260 cm	Emerald, Cordis,USA/ EU/ Mexico		10+10+8+5+1 0+5+5=53	OK
6	M/s A&E Medical	CE Mark	Introguide, Angiokard GmbH, Germany	1	8+10+8+5+8+ 7+5=51	OK
6	M/s A&E Medical	FDA Approved	Namic, Navilyst Medical, USA	1	8+10+8+5+8+ 7+5=51	OK
3	M/s Health Tec,	0.035 * 260 cm	Pointer Hydrophillic Coated Pendra Care, Netherland		8+10+8+5+5+ 7+5=48	NOT ACCEPTABLE

OFFICE OF THE MEDICAL SUPERINTENDENT,
PUNJAB INSTITUTE OF CARDIOLOGY, LAHORE,
Ph.#. Off.042-99200031 (Ext.313), 042-99203051-61, FAX.#.042-99203204

12 PTCA Balloon Rapid Exchange System (Semi-Compliant), Low Profile, High Quality,Newer versions, All Size, QTY = 3000

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
5	M/s. Digital Imaging System	Trek is specially designed for focused dilation force in the toughest of cases . Its superb deliverability and performances is driven by proprietary technological advancement in tip design, balloon materialand shaft design	Trek, Abbott Vascular , USA / Europe		10+10+8+5+1 0+5+5=53	OK
10	M/s. Intek Corporation	Sizes as per brochure	Hoper (FDA Approved) Lepu Medical, China	1	10+10+5+5+6 +6+5=47	NOT ACCEPTABLE
1	M/s ESS & ESS Enterprises,		Hawk, Umbra Medical, USA	1	8+10+8+5+10 +5+5=50	NOT ACCEPTABLE
2	M/s B. Braun Pvt. Ltd.	Sequent tip to pass the most challinging lesion, Dia 1.25, 1.5, 2.0, 2.5, Lowest Tip Profile of 0.016, 5f guiding catheter compatable, Esp design for fight and CTO (Reg MOH)	Sequent Neo Registered, B. Braun, Germany	1	8+10+8+5+10 +5+5=50	NOT ACCEPTABLE

24	M/s. Cor - Med,	4th Generation IHT PTCA Balloon Catheter. Crossway is a high Performance coronary predilatation catheter, desiged to prepare lesions for an optional DES placement. Even In case of Comples anatomy. Technically improved for better pushablity, trackability a	PTCA Balloon Catheter, IHT, Spain	1	6+5+5+10+5+ 5+5=45	NOT ACCEPTABLE
19	M/s. ACP Systems,	D:1.5, L:6, 10, 12, 15, 20 D:2.0, 2.25 L:6, 10, 12, 15, 20 D:2.25, 2.75, 3.0 L:6, 10, 12, 15, 20 D:3.25, 3.5, 3.75, 4.0 L:6, 10, 12, 15, 20	Euphora, Medtronic, Mexico	1	10+10+8+5+5 +8+5=52	OK
27	M/s. Hakim Sons Pvt. Ltd.,	All Sizes	XPERIENCE/ VASCULAR, Spain		6+5+5+10+5+ 5+5=45	NOT ACCEPTABLE
4	M/s. Alliance Medical	1.5 to 4.0 mm	(Clever) Conic Vascular, Switzerland		8+10+8+5+10 +7+5=53	NOT ACCEPTABLE
7	M/s Feroz Sons Laboratories	All Sizes	Emerge	1	10+10+8+5+1 0+8+5=54	OK
26	M/s. ATCO, Laboratories Ltd., ,	CE Mark	Invader PTCA, Alivimedica, Turkey	1	8+10+5+5+6+ 8+5=48	NOT ACCEPTABLE

6	M/s A&E Medical	CE Mark	TIN, SIS Medical, Switzerland	1	8+10+8+5+8+ 7+5=51	NOT ACCEPTABLE
17	M/s. Maxims Medical	All Sizes, CE Mark	Yangtze, Minvasys, France	1	8+10+6+5+6+ 8+5=48	NOT ACCEPTABLE
17	M/s. Maxims Medical	All Sizes, British CE Mark	Medisunik, Sunny, China	1	8+10+6+5+6+ 8+5=48	NOT ACCEPTABLE
3	M/s Health Tec,	All Sizes	Everest Semi Compliant Balloon Blue Medical, Netherland		8+10+8+5+5+ 7+5=46	NOT ACCEPTABLE

13 PTCA Balloon Rapid Exchange System (Non- Compliant), Low Profile, High Quality, High Pressure Newer versions, All Size, QTY = 2000

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
5	M/s. Digital Imaging System	Trek NC is specially designed for focused dilation force in the toughest of cases . Its superb deliverability and performances is driven by proprietary technclogical advancement in tip design, balloon materialand shaft design	Trek NC, Abbott Vascular , USA / Europe		10+10+8+5+1 0+5+5=53	OK
1	M/s ESS & ESS Enterprises,		Hawk, Umbra Medical, USA	1	8+10+8+5+10 +5+5=50	NOT ACCEPTABLE

24	M/s. Cor - Med,	Guaranteed High pressure delivery The non-compliant rapid exchange PTCA balloon crossway NC, combines innovative IHT techonolgy with the high pressure and controlled-expansion capabilites of a non-complaint balloon Powerful and accurate high pressure pos	High Pressure non-compliant PTCA Balloon, IHT, Spain	1		NOT ACCEPTABLE
19	M/s. ACP Systems,	D:2.0, 2.25, L:6, 8, 12, 15, 20 D:2.5, 2.75, 3.0, 3.5, 3.75, 4.0 L:6, 8, 12, 15, 20, 27 D:4.5 L:8, 12, 15, 20 D:5.0 L:8, 12, 15	Euphora, Medtronic, Mexico	1	10+10+8+5+5 +8+5=52	OK
6	M/s A&E Medical	CE Mark	BEO NC, SIS Medical, Switzerland	1	8+10+8+5+8+ 7+5=51	NOT ACCEPTABLE
4	M/s. Alliance Medical	1.5 to 4.5 mm	(NC Clever) Conic Vascular, Switzerland		8+10+8+5+10 +7+5=53	NOT ACCEPTABLE
7	M/s Feroz Sons Laboratories	All Sizes	NC Emerge	1	10+10+8+5+1 0+8+5=54	OK
17	M/s. Maxims Medical	All Sizes CE Mark	Yangtze NC. Minvasys, France	1	8+10+6+5+6+ 8+5=48	NOT ACCEPTABLE

17	M/s. Maxims Medical	All Sizes British CE Mark	Medisunik, Sunny Medical, China	1	8+10+6+5+6+ 8+5=48	NOT ACCEPTABLE
3	M/s Health Tec,	All Sizes	Force Non Compliant Balloon, Blue Medical, Netherland		8+10+8+5+5+ 7+5=48	NOT ACCEPTABLE

14 PTCA Guidewires(Very Flexible / Light Support) Floppy Tip with Tip load less than 0.8 G), Streight tip/0.014", 180 cm to 200 cm, QTY = 100

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
5	M/s. Digital Imaging System	.014",190 cm. Hydrophilic coating elastinite distal core for kink resistance and durability proximal stainles streel section for excellent push and torque transmission.	BMW, Whisper MS, MBW Elite, BMW Universal II, Abbott Vascular , USA / Europe		10+10+8+5+1 0+5+5=53	NOT ACCEPTABLE
7	M/s Feroz Sons Laboratories	Straight Tip 0.014, 180-200cm	Choice Floppy	5	10+10+8+5+1 0+8+5=54	OK
31	M/s. TEK Enterprises.	TIP Load 0.5 G, Basic front line Guide wire with a flexible core and Good tarqeability for distal side branch selection	Asahi, Japan	5	6+10+8+5+6+ 8+5=47	OK

31	M/s. TEK Enterprises,	TIP Load 0.7 G, Basic front line Guide wire with Floppy Tipand Non Hydrolic coating and ensure Optimal Tactile Feed Back	Soft, Asahi, Japan	5	6+10+8+5+6+ 8+5=47	OK

15 PTCA Guidewires (Moderate Support) Floppy Tip. Core Material Stainless Steel / Nitinol., Streight tip/0.014", 180 cm to 200 cm, QTY = 200

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
5	M/s. Digital Imaging System	0.014".190 cm. Hydrophilic coating elastinite distal core for kink resistance and durability proximal stainles streel section for exceelent push and torque transmission.	BMW, BHW,Cross it - 100, Pilot 50, Whisper ES, Abbott Vascular , USA / Europe	1	10+10+8+5+1 0+5+5=53	NOT ACCEPTABLE
7	M/s Feroz Sons Laboratories	Straight Tip 0.014, 180-200cm	PT2	5	10+10+8+5+1 0+8+5=54	NOT ACCEPTABLE

31	M/s. TEK Enterprises,	Floppy Tip Modreate Support Stainless Steel Tip Load 0.8 G, 0.014" Dia 180 cm, Length Slip Coat Over Spring Coil	Rinato, Asahi, Japan	5	6+10+8+5+6+ 8+5=47	OK

16 **PTCA Guidewires (Moderate Support) Floppy Tip with Spring Coil & Shaping Ribbon Tip load less than 0.8 G , Streight tip/0.014", 180 cm to 200 cm, QTY = 2500**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
5	M/s. Digital Imaging System	0.014", 190 cm. Hydrophilic coating elastinite distal core for kink resistance and durability proximal stainles streel section for excellent push and torque transmissicn.	BMW, BHW,Cross it Pilot, Whisper, Abbott Vascular , USA / Europe		10+10+8+5+1 0+5+5=53	OK
19	M/s. ACP Systems,	Straight Tip 0.014	Cougar X T, Medtronic, Dominican Republic	5	10+10+8+5+5 +8+5=52	NOT ACCEPTABLE

13	M/s. Pak Punjab CardexMedical System,	Straight Tip 0.014 x 180cm	ATW Marker Wire, Cordis (USA), US/EU/Mexico		10+10+8+5+1 0+5+5=53	NOT ACCEPTABLE
10	M/s. Intek Corporation	Straight Tip 0.014" x 180	PTCA Wire, Lepu Medical, China	5	10+10+5+5+6 +6+5=47	NOT ACCEPTABLE
7	M/s Feroz Sons Laboratories	Straight Tip 0.014, 180-200cm	Choice PT	5	10+10+8+5+1 0+8+5=54	NOT ACCEPTABLE
31	M/s. TEK Enterprises,	First Choice Guide Wire with propreitry compsite, core construction for greater tip flexibility and support performance silicon coating over the spring coil for 150 mm from tip for safer procedures Tip Load 0.5G, 0.014" Dia Length 180 cm	Sion Blue, Asahi, Japan	5	6+10+8+5+6+ 8+5=47	OK
31	M/s. TEK Enterprises,	First Choice Guide Wire with propreitry compsite, core constructionfor for excellent tip durability and tarque performance in tight anatomy flexilble shaft and atraunmatic tip for stress free operation. Tip Load 0.7G, 0.014" Dia Length 180 cm, Slip coat o	Sion, Asahi, Japan	5	6+10+8+5+6+ 8+5=47	OK

OFFICE OF THE MEDICAL SUPERINTENDENT,
PUNJAB INSTITUTE OF CARDIOLOGY, LAHORE.
Ph.#. Off.042-99200031 (Ext.313), 042-99203051-61, FAX.#.042-99203204

17 PTCA Guidewires (Moderate Support) Tip Type Polymers over coil Tip Load Less Than 0.8 G, Streight tip/0.014", 180 cm to
QTY = 300

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
5	M/s. Digital Imaging System	0.014".190 cm. Hydrophilic coating elastinite cistal core for kink resistance and durability proximal stainles streel section for exceelent push and torque transmission.	BMW, BHW,Cross it Pilot, Whisper MS & ES, Abbott Vascular , USA / Europe		10+10+8+5+1 0+5+5=53	NOT ACCEPTAB
7	M/s Feroz Sons Laboratories	Straight Tip 0.014, 180-200cm	PT, Choice PT	5	10+10+8+5+1 0+8+5=54	OK
31	M/s. TEK Enterprises,	Fine control changelling tortiuos vessel and highly stenosed lesions. Polymer sleeve provides over the spring coil for advanced slip performance with superior tarque and support. Tip Load 0.8G, length 180 Cm, 0.014" Dia	Fielder SC, Asahi, Japan	5	6+10+8+5+6+ 8+5=47	Ok

OFFICE OF THE MEDICAL SUPERINTENDENT,
PUNJAB INSTITUTE OF CARDIOLOGY, LAHORE,
Ph.#. Off.042-99200031 (Ext.313), 042-99203051-61, FAX.#.042-99203204

18 PTCA Guidewires (Heavy Support / Super Support), Streight tip/0.014", 180 cm to 200 cm, QTY = 400

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
5	M/s. Digital Imaging System	0.014". 190 cm, 300 cm . Hydrophilic coating incremental variance in tip support for choice of wires to address a variety at lesion orphology,. Unequaly tappered tip for lesion access in chronic occlusion.	BHW Cross IT-100,200xt,300xt, progress, Pilot, Abbott Vascular , USA / Europe		10+10+8+5+1 0+5+5=53	NOT ACCEPTABLE
10	M/s. Intek Corporation	Straight Tip 0.014 x 180	Runthrough Intermediate, Terumo, Japan	5	10+10+5+5+6 +6+5=47	NOT ACCEPTABLE
7	M/s Feroz Sons Laboratories	Straight Tip 0.014, 180-200cm	Mail Man	5	10+10+8+5+1 0+8+5=54	OK
31	M/s. TEK Enterprises,	Stiff Wire Shaft Provides extra support for delivery of interventicnal devices in extreme cases Straight Tip0.014", Length 180 cm, Tip Load 0.7 G, Silicon coating over the spring coil	Grand Slam, Asahi, Japan	5	6+10+8+5+6+ 8+5=47	OK

OFFICE OF THE MEDICAL SUPERINTENDENT,
PUNJAB INSTITUTE OF CARDIOLOGY, LAHORE,
Ph.#. Off.042-99200031 (Ext.313), 042-99203051-61, FAX.#.042-99203204

19 PTCA Guidewires for Chronic total Occlusions: Polymer Over Coils / Spring Coils. Tip Load More Than 0.7 G, Streight tip/0.014", 180 cm to 200 cm, QTY = 300

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
5	M/s. Digital Imaging System	0.014".190 cm, 300 cm . Hydrophilic coating incremental variance in tip support for choice of wires to address a variety at lesion o·phology,. Uniquely tappered tip for lesion access in chronic occlusion.	Pilot 50, Pilot 150, Cross - IT 100, 200 xt , 300 xt, Progress., Abbott Vascular , USA / Europe		10+10+8+5+1 0+5+5=53	OK
13	M/s. Pak Punjab CardexMedical System,	Straight Tip 0.014 x 180cm	Shinobi Plus, Cordis (USA), US/EU/Mexico		10+10+8+5+1 0+5+5=53	NOT ACCEPTABLE
7	M/s Feroz Sons Laboratories	Straight Tip 0.014, 180-200cm	PT Graphics, PT2	5	10+10+8+5+1 0+8+5=54	NOT ACCEPTABLE
31	M/s. TEK Enterprises,	First choice wire for total occlusion cases the core wire and distal coil are designed to resist great force thus lowering the chances of getting trapped in a lesion TIP Load 3.0 G, 0.014" DIA Length 180 cm Straight Tip, ,.	Miracle-3,	5	6+10+8+5+6+ 8+5=47	OK

31	M/s. TEK Enterprises,	Step up in tip stiffness from miracle 3, Tip Load 4.5G	Miracle-4.5,	5	6+10+8+5+6+ 8+5=47	OK
31	M/s. TEK Enterprises,	A step up in tip stiffness from miracle 4.5. the wire has tip load of 6G and has high driving force against tight lesions.	Miracle-6,	5	6+10+8+5+6+ 8+5=47	OK
31	M/s. TEK Enterprises,	A tip load 12 G it is indicated in complex chronic occlusion cases such as thick hard fibrous caps and clacifications	Miracle-12,	5	6+10+8+5+6+ 8+5=47	OK

20 PTCA Priority Pack Accessory Kit, Indeflator (20 /20 atm inflation device, 0.115 rotating haemostic valve, guidewire introducer, torque device., QTY = 3000

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
10	M/s. Intek Corporation	Inflation device + Mid Pressure 3 way stopcock + Y connector + guide wire introducer + torque devices	Angic Power, Lepu Medical, China	5	10+10+5+5+6 +6+5=47	NOT ACCEPTABLE
5	M/s. Digital Imaging System	with Y - Connector & bleed back control valve.	Priority Pack, Abbott Vascular , USA / Europe		10+10+8+5+1 0+5+5=53	OK

24	M/s. Cor - Med,	An ergonomic handle that enables one-handed prepartion and priming 35 ATM pressure capablity and 30ml fluid capacity. Rapid infaltion and deflation speed The PHD valve is similar to Abbott's co-pilot	Inflation Syringe, Merit Medical,USA FDA Approved		6+5+5+10+5+ 5+5=45	NOT ACCEPTABLE
19	M/s. ACP Systems,	Indeflator. atm inflation, device 0.115 rotating haemostic valves guide wire introducer, torque devices.	Everest Kit, Medtronic, Mexico	1	10+10+8+5+5 +8+5=52	NOTACCEPTABLE

21 PTCA Guide Catheter Without Sides Hole, All Sizes & Types (5F-8F), QTY = 2500

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
19	M/s. ACP Systems,	All Sizes & Types (5F-8F)	Launcher, Medtronic, USA	1	10+10+8+5+5 +8+5=52	NOTACCEPTABLE
26	M/s. ATCO, Laboratories Ltd., ,	FDA Approved	Alviguide Blue Plus, Alvimedica, Turkey	1	8+10+5+5+6+ 8+5=48	NOT ACCEPTABLE
13	M/s. Pak Punjab CardexMedical System,	All Sizes & Types (5F-8F)	Vista Brite Tip, Cordis (USA), US/ EU/ Mexico		10+10+8+5+1 0+5+5=53	OK

13	M/s. Pak Punjab CardexMedical System,	5F LBT	Vista Long Brite Tip, Cordis (USA), US/ EU/ Mexico		10+10+8+5+1 0+5+5=53	OK

22 PTCA Guide Extension Catheters, All Sizes, QTY = 10

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
7	M/s Feroz Sons Laboratories	6F	Guidezila,	1	10+10+8+5+1 0+8+5=54	OK

23 Pulmonary / Acrtic Valvuloplasty Balloon, All Sizes., QTY = 50

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
4	M/s. Alliance Medical	Low Pressure/High Pressure	VASC II & III Dr. Osypka AG, Germany		8+10+8+5+10 +7+5=53	NOT ACCEPTABLE

24 Inoue Balloon for PTMC , All Sizes, QTY = 250

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS

16	M/s. Verizone,	PTMC without Needle and Sheath	PTMC InnoueBalloon, Toray Mecical, Japan	1	8+10+8+5+5+ 8+5=49	OK

25 Heavy Duty Guide Wire, 0.035"/ 260 cm, QTY = 200

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
21	M/s. Interex Co.,	0.0.35 x 260cm	St Jude (AGA) Medical, USA	1	10+15+8+5+5 +6+5=54	OK
13	M/s. Pak Punjab CardexMedical System,	0.0.35 x 260cm	Amplatz Cordis,(USA), US/Eu/Mexico	1	10+10+8+5+1 0+5+5=53	OK

26 Micro Catheter for PCI, 23-31, QTY = 50

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
10	M/s. Intek Corporation	Sizes as per brochure	Fine Cross, Terumo, Japan	1	10+10+5+5+6 +6+5=47	OK
6	M/s A&E Medical	CE Mark	PRO 1, SIS Medical, Switzerland		8+10+8-5+8+ 7+5=51	NOT ACCEPTABLE
7	M/s Feroz Sons Laboratories	Thearder	Thearder	1	10+10+8+5+1 0+8+5=54	NOT ACCEPTABLE

31	M/s. TEK Enterprises,	Stride 2.2Fr Is designed as a Super-Selective Micro Catheter which enable approaches to far desired Targets flexiable Length 28Cm	Stride Micro Catheter, Ashai, Japan	1	5+10+8+5+6+ 8+5=47	NOT ACCEPTABLE
31	M/s. TEK Enterprises,	Improving case and safety for complex case by crossing Tortuous Microchannels, Saving contast media with super selective Tip Injection, providing support for Guide wire crossing, Maintaining the channel for Guide wire Exchange or Reshaping	Micro Catheter, Ashai, Japan	1	6+10+8+5+6+ 8+5=47	OK
31	M/s. TEK Enterprises,	Sample as above But different in Length 150Cm	Micro Catheter, Ashai, Japan	1	6+10-8+5+6+ 8+5=47	OK

OFFICE OF THE MEDICAL SUPERINTENDENT,
PUNJAB INSTITUTE OF CARDIOLOGY, LAHORE,
Ph.#. Off.042-99200031 (Ext.313), 042-99203051-61, FAX.#.042-99203204

27 Drug Eluting Balloon (DEB), All Sizes, CE / FDA Approved, QTY = 10

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
19	M/s. ACP Systems,	All Sizes CE/FDA aprroved	ImPact Falcon, Medtronic, Mexico	1	10+10+8+5+5 +8+5=52	NOT ACCEPTABLE
21	M/s. Interex Co.,	All Sizes FDA	IN.PACT Admiral Covidien, USA	1	10+15+8+5+5 +5+5=54	NOT ACCEPTABLE
2	M/s B. Braun Pvt. Ltd.	Bio Absorable MatrixOrigional Clinincaly Proven, DEB with ESC, NICE approved (Reg MOH)	Sequent Please PTCA Drug Eluting, B. Braun, Germany	1	8+10+8+5+10 +5+5=50	OK (order on demand)
7	M/s Feroz Sons Laboratories	All Sizes/CE Mark/ FDA Approved	Agest	1	10+10+8+5+1 0+8+5=54	NOT ACCEPTABLE
3	M/s Health Tec,	All Sizes CE / FDA Approved	Protégé Drug Eluting Balloon, Blue Medical, Netherland		8+10+8+5+5+ 7+5=48	NOT ACCEPTABLE
17	M/s. Maxims Medical	All Sizes CE Mark	Dior, Eurocor, Germany	1	8+10+6+5+6+ 8+5=48	OK
17	M/s. Maxims Medical	All Sizes CE Mark	Devior World First Siroliums Eluting Balloon, Minvasys, France	1	8+10+6+5+6+ 8+5=48	NOT ACCEPTABLE

OFFICE OF THE MEDICAL SUPERINTENDENT,
PUNJAB INSTITUTE OF CARDIOLOGY, LAHORE,
Ph.#. Off.042-99200031 (Ext.313), 042-99203051-61, FAX.#.042-99203204

28 Bare Metal Stent (Co, Cr/Pt, Cr) FDA, Newer Versions, All Sizes, QTY = 300

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
5	M/s. Digital Imaging System	Chromium Cobalt Stent has the thinnest struts - 0.00032" and has the lowest crossing profile available just 0.40'.	Multilink Eight Abbott Vascular , USA / Europe		10+10+8+5+1 0+5+5=53	OK
1	M/s ESS & ESS Enterprises,		Silverstent, Umbra Medical, USA	1	8+10+8+5+10 +5+5=50	NOT ACCEPTABLE
19	M/s. ACP Systems,	Dia: 2.25, 2.75 Length: 8, 12, 14, 18, 22, 26, 30 Doameter: 3.00, 4.00 Length:9, 12, 15, 18, 22, 26, 30	Integrity, Medtronic, Ireland	1	10+10+8+5+5 +8+5=52	OK
27	M/s. Hakim Sons Pvt. Ltd.,	All Sizes	ARCHITECT/ VASCULAR, Spain		6+5+5+10+5+ 5+5=45	NOT ACCEPTABLE
7	M/s Feroz Sons Laboratories	All Sizes	Rebel	1	10+10+8+5+1 0+8+5=54	OK

29 Drug Eluting Stents (FDA), (Everolmus / Zotarolimus), Newer Versions , Upto 38mm Long , QTY = 2000

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
5	M/s. Digital Imaging System	Everolium Eluting Cornoray Stent the next generation in the xience family engineered to deliver the superior outcomes of xience v. with same efficious low doseEverlolius , biocompatible fluorinated copolymer and enhaunced cobalt chromium Muti Link8 desig	Xience Xpedition LL, Abbott Vascular , USA / Europe		10+10+8+5+1 0+5+5=53	OK
19	M/s. ACP Systems,	Dia: 2.25, 2.75 Length: 8, 12, 14, 18, 22, 26, 30 Doameter: 3.00, 4.00 Length:9, 12, 15, 18, 22, 26, 30, 34, 38	Resolute Integrity, Medtronic, Ireland	1	10+10+8+5+5 +8+5=52	OK
7	M/s Feroz Sons Laboratories	upto 38 mm long	Promus Element Plus,	1	10+10+8+5+1 0+8+5=54	OK

30 Drug Eluting Stents (FDA), (Everolmus / Zotarolimus), Newer Versions , upto 48mm Long , QTY = 600

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
5	M/s. Digital Imaging System	Everalimus Eluting Coronary Stent the next generation in the xience family engineered to deliver the superior outcomes at xience v. with same efficious low dose Everolinus, biocompatible flucrinated copolymer and enhanced cobalt chromium Multi-Link 8 des	Xience Xpedition 48, Abbott Vascular , USA / Europe		10+10+8+5+1 0+5+5=53	OK

31 Rotablator Burrs / Rotalink Plus, All Sizes, QTY = 10

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
7	M/s Feroz Sons Laboratories	All Sizes	Rota Link Plus	1	10+10+8+5+1 0+8+5=54	OK

OFFICE OF THE MEDICAL SUPERINTENDENT,
PUNJAB INSTITUTE OF CARDIOLOGY, LAHORE,
Ph.#. Off.042-99200031 (Ext.313), 042-99203051-61, FAX.#.042-99203204

32 Transradial Arterial Sheath Set., 4 F, 5 F, 6 F, QTY = 2500

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
10	M/s. Intek Corporation	5 F , 6 F	Sheath Introducer, Lepu Medical, China	1	10+10+5+5+6 +6+5=47	NOT ACCEPTABLE
1	M/s ESS & ESS Enterprises,		Radialstat, Umbra Medical, USA	1	8+10+8+5+10 +5+5=50	NOT ACCEPTABLE
24	M/s. Cor - Med,	Preclude radial shaeth introducers provide excellent transitions to facilitate smocth insertion into the patient. The micro guide wire and merit advance needle assist in atraumatic entry into the delicate radial vasculature enhancing access for both the p	Prelude Radial Sheath Inroducer, Merit USA	1	6+5+5+10+5+ 5+5=45	NOT ACCEPTABLE
13	M/s. Pak Punjab CardexMedical System,	4F,5F, 6F	Avnati +, Cordis (USA), US / EU / Mexico		10+10-8+5+1 0+5+5=53	OK

OFFICE OF THE MEDICAL SUPERINTENDENT,
PUNJAB INSTITUTE OF CARDIOLOGY, LAHORE,
Ph.#. Off.042-99200031 (Ext.313), 042-99203051-61, FAX.#.042-99203204

33 Femoral Sheath Introducer Sets With Haemostatic Vlave, Guide Wire Dilator and Obturator Femoral, All sizes (4F-8F), QTY = 8000

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
10	M/s. Intek Corporation	4,5,6 & 7FR	Radifocus Introducer Set, Terumo, Japan	5	10+10+5+5+6 +6+5=47	OK
1	M/s ESS & ESS Enterprises,		CL Elite, Umbra Medical, USA	1	8+10+8+5+10 +5+5=50	NOT ACCEPTABLE
24	M/s. Cor - Med,	Preclude radial shaeth introducers provide excellent transitions to facilitate smooth insertion into the patient. The micro guide wire and merit advance needle assist in atraumatic entry into the delicate radial vasculature enhancing access for both the p	Prelude Femoral Sheath Inroducer, Merit, USA	1	6+10+5+5+10 +5+5=46	NOT ACCEPTABLE
19	M/s. ACP Systems,	All Sizes (6Fr-8Fr)	Input TS, Medtronic, Mexico	5	10+10+8+5+5 +8+5=52	OK
13	M/s. Pak Punjab CardexMedical System,	All Sizes (4F-8F)	Avnati +, Cordis (USA), US / EU / Mexico		10+10+8+5+1 0+5+5=53	OK

34 **Broken Bough (Transeptal) Needle Set, 18G/6.9cm/0.038, QTY = 50**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
16	M/s. Verizone,	Adult/Peads TSNC-18-71.0	Transeptal Needle, Ccok Medical, USA	1	8+10+8+5+5+ 8+5=49	OK
14	M/s. Physiomed Pvt. Ltd.	BRK	BRK, St Jude Medical, USA	1	8+10+8+5+5+ 6+5=47	OK

35 **High Pressure Manifold Two Port (female luer lock with male rotating adapter), 500psi, QTY = 10000**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
10	M/s. Intek Corporation	500 psi	Manifold 2 port, Lepu Medical, China	30	10+10+5+5+6 +6+5=47	NOT ACCEPTABLE

24	M/s. Cor - Med	2-Port manifold Right Handed on	3-port Manifold De-Royal, USA		6+10+5+5+10 +5+5=46	NOT ACCEPTABLE
6	M/s A&E Medical	FDA Approved	Navilyst Medical/Angiodynamics , USA		8+10+8+5+8+ 7+5=51	OK
14	M/s. Physiomed Pvt. Ltd.		BRK, St. Jude Medical USA	1		NOT ACCEPTABLE
4	M/s. Alliance Medical	500psi (600psi)	Auram Health Care, Malaysia,		8+10+8+5+10 +7+5=53	NOT ACCEPTABLE

36 Pressure Line Flexible 600 Psi Injector Line., 120cm, QTY = 11000

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
1	M/s ESS & ESS Enterprises,	120cm	Bickacilar, Turkey	1	8+10+8+5+10 +5+5=50	NOT ACCEPTABLE
12	M/s. Cardiac Care,	120cm	Proactive. Italy	1	10+10+8+5+5 +6+5=49	NOT ACCEPTABLE
19	M/s. ACP Systems,	120cm	Bickacilar, Turkey	100	10+10+8+5+5 +8+5=52	NOT ACCEPTABLE
2	M/s B. Braun Pvt. Ltd.	Length 100 cm or 150 cm	High Pressure Tubing, B. Braun, Germany	50	8+10+8+5+10 +5+5=50	OK
2	M/s B. Braun Pvt. Ltd.	Length 120 cm or 150 cm	High Pressure Tubing, B. Braun, Germany	50	8+10+8+5+10 +5+5=50	OK
6	M/s A&E Medical	120cm	Pressure Line, Angiokard GmbH, Germany		8+10+8+5+8+ +7+5=51	OK

4	M/s. Alliance Medical	600 psi 120cm	Areis Medical, Italy	1	8+10+8+5+10 +7+5=53	NOT ACCEP

37 Mullin's Sheath Introducer Set. (Adult / pediatric) FDA / CE (Femoral), All sizes, QTY = 50

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
16	M/s. Verizone,	All Sizes RCFW-7.0-38-63-RB-MTS	PerformerMullins Guiding Sl, Cook Medical, USA	1	8+10+8+5+5+ 8+5=49	OK
14	M/s. Physiomed Pvt. Ltd.	Adult / Peadiatrics 8F	Fast Cath, St Jude, Medical, USA	1	8+10+8+5+5+ 6+5=47	OK

38 Sheath for Aortic and Valvoplasty Femoral, 9, 10, 11, 12, QTY = 50

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
0	#N/A			1		

39 Cutting Balloon for Coronary Use, All sizes CE Marked, QTY = 25

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
7	M/s Feroz Sons Laboratories	All Sizes	Flextom,	1	10+10+8+5+1 0+8+5=54	OK (order o

40 Snare Catheter (Complete Set), All sizes, QTY = 5

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
24	M/s. Cor - Med,	Endovascular snare system feture three interlaced loop to retreive and manipulate foreign objects in the body. The EN snare is desiagn to rotate amd expand for excellent coverage and retrieval within a variety of vessel sizes. Platinium strands are incorp	EN Snare Merit, USA	1	6+10+5+5+10 -5+5=46	NOT ACCEPTABLE
21	M/s. Interex Co.,	10mm, 15mm, 20mm, 25mm	Snare Kit, EV3, USA	1	10+15+8+5+5 +6+5=54	OK

41 Diagnostic Catheters MP, All Sizes, QTY = 100

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
10	M/s. Intek Corporation	4,5,6Fr	Optitorque, Terumo, Japan	1	10+10+5+5+6 +6+5=47	NOT ACCEPTABLE
19	M/s. ACP Systems,	All Sizes	Siteseet Medtronic, Mexico	5	10+10+8+5+5 +8+5=52	OK

26	M/s. ATCO, Laboratories Ltd., ,	FDA Approved	Alvision, Alivimedica, Turkey	1	8+10+5+5+6+ 8+5=48	NOT ACCEPTABLE
13	M/s. Pak Punjab CardexMedical System,	All Sizes	Infiniti, Super Torque & Quick Care Infinite Cordis (USA), US / EU / Mexico		10+10+8+5+1 0+5+5=53	OK
7	M/s Feroz Sons Laboratories	MP,5F, 6F	Impulse/Expo	5	10+10+8+5+1 0+8+5=54	NOT ACCEPTABLE
3	M/s Health Tec,	All Sizes	Pointer Hydrophillic Coated, Pendra Care, Nethariand		8+10+8+5+5+ 7+5=48	NOT ACCEPTABLE

42 Diagnostic Catheters NIH, 5 Fr, 6 Fr & 7 Fr, QTY = 200

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
26	M/s. ATCO, Laboratories Ltd., ,	FDA Approved	Alvision, Alivimedica, Turkey	1	8+10+5+5+6+ 8+5=48	NOT ACCEPTABLE
13	M/s. Pak Punjab CardexMedical System,	All Sizes	Infiniti, Super Torque & Quick Care Infinite Cordis (USA), US / EU / Mexico		10+10+8+5+1 0+5+5=53	OK

OFFICE OF THE MEDICAL SUPERINTENDENT,
PUNJAB INSTITUTE OF CARDIOLOGY, LAHORE.
Ph.#. Off.042-99200031 (Ext.313), 042-99203051-61, FAX.#.042-99203204

43 Diagnostic Catheters PIGTAIL, All Sizes, QTY = 200

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
10	M/s. Initek Corporation	4,5,6Fr	Optitorque, Terumo, Japan	1	10+10+5+5+6 +6+5=47	NOT ACCEPTABLE
19	M/s. ACP Systems,	All Sizes	Siteseet Medtronic, Mexico	10	10+10+8+5+5 +8+5=52	OK
13	M/s. Pak Punjab CardexMedical System,	All Sizes	Infiniti, Super Torque & Quick Care Infinate Cordis (USA), US / EU / Mexico		10+10+8+5+1 0+5+5=53	OK
2	M/s B. Braun Pvt. Ltd.	All Type	Diagnostic Cather, B. Braun, Germany	5	8+10+8+5+10 +5+5=50	NOT ACCEPTABLE
26	M/s. ATCO, Laboratories Ltd., ,	FDA approved	Alvision, Alivimedica, Turkey	1	8+10+5+5+6+ 8+5=48	OK
7	M/s Feroz Sons Laboratories	5F, 6F	Impulse/Expo	5	10+10+8+5+1 0+8+5=54	NOT ACCEPTABLE
3	M/s Health Tec,	All Sizes	Pointer Hydrophillic Coated, Pendra Care, Netharland		8+10+8+5+5+ 7+5=48	NOT ACCEPTABLE

44 Arterial Septostomy Balloon, All Sizes, QTY = 10

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
21	M/s. Interex Co.,	2 cc FDA, ISO	Numed, Canada	1	10+15+8+5+5 +6+5=54	OK

45 Teflon Coated Exchange Wire, 0.025" x 260cm, QTY = 200

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
13	M/s. Pak Punjab CardexMedical System,	0.025 * 260 cm	Emerald, Cordis (USA), US / EU / Mexico		10+10+8+5+1 0+5+5=53	OK
3	M/s Health Tec,	0.025 * 260 cm	Accot SP Medical, Denmark		8+10+8+5+5+ 7+5=48	NOT ACCEPTABLE

46 FFR pressure wire with instant wave free ration (IFR) with scout for vacano system , to be used with S5X, QTY = 200

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
5	M/s. Digital Imaging System		Prime wire, Volcano, USA/Europe	1	10+10+8+5+1 0+5+5=53	OK

OFFICE OF THE MEDICAL SUPERINTENDENT,
PUNJAB INSTITUTE OF CARDIOLOGY, LAHORE,
Ph.#. Off.042-99200031 (Ext.313), 042-99203051-61, FAX#.042-99203204

47 Dispoable Syringes for Angiogrphy / Control Syringes, Standard, QTY = 3000

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
2	M/s B. Braun Pvt. Ltd.	Controlled syringe for Angioplasty	B Braun, Germany		8+10+8+5+10 +5+5=50	OK
30	M/s. Imtiaz Brothers	Standard	Sunmed Medical Devices (Shenzhen) co, China		8+10+8+5+8+ 5+6=49	OK
6	M/s A&E Medical	Control Syringe 12ml CE Mark	Sunny Medical, China		8+10+8+5+8+ 7+5=51	OK

48 Glide Wire Radiofocus 260 cm , 0.018, 0.025, 0.035, QTY = 200

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
10	M/s. Intek Corporation	.018/0.025/0.0.35 x 260	Radifocous, Terumo, Japan	5	10+10+5+5+6 +6+5=47	OK
13	M/s. Pak Punjab CardexMedical System,	0.035 x 150cm 0.035 x 260cm	Aquatract, Cordis (USA), US/EU/Mexici		10+10+8+5+1 0+5+5=53	NOT ACCEPTABLE

49 **Peripheral Guide Catheter, All Size, QTY = As per Demand**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
13	M/s. Pak Punjab CardexMedical System,	All Sizes	Vista Brite Tip, Cordis (USA), US / EU / Mexico		10+10+8+5+1 0+5+5=53	OK
7	M/s Feroz Sons Laboratories	All Sizes	Mach - 1,	1	10+10+8+5+1 0+8+5=54	NOT ACCEPTABLE

50 **Peripheral Stents (Carotid, Renal, Mesenteric etc), All Sizes, QTY = 25**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
21	M/s. Interex Co.,	All Sizes up to 180 cm	Peripheral Stent, Protege Everflex, Protege, RX, Covidien, USA	1	10+15+8+5+5 +6+5=54	NOT ACCEPTABLE
13	M/s. Pak Punjab CardexMedical System,	Carotid	Precise , Cordis (USA), US / EU / Mexico		10+10+8+5+1 0+5+5=53	NOT ACCEPTABLE
13	M/s. Pak Punjab CardexMedical System,	Renal	Palmaz Genesis, Cordis (USA), US / EU / Mexico		10+10+8+5+1 0+5+5=53	NOT ACCEPTABLE
13	M/s. Pak Punjab CardexMedical System,	Peripheral Up to 110cm	Smart Control, Cordis (USA), US / EU / Mexico		10+10+8+5+1 0+5+5=53	NOT ACCEPTABLE
13	M/s. Pak Punjab CardexMedical System,	Peripheral Up to 150cm	Smart Control, Cordis (USA), US / EU / Mexico		10+10+8+5+1 0+5+5=53	NOT ACCEPTABLE

5	M/s. Digital Imaging System	Peripheral Stent Herculink	Caroted Stent Acculink, Abbott Vascular, USA/Europe	1	10+10+8+5+1 0+5+5=53	OK
7	M/s Feroz Sons Laboratories	All Sizes	Express/Wall Stent	1	10+10+8+5+1 0+8+5=54	OK

51 ARP Needle, Long, Sharp Bevel, QTY = 12000

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
2	M/s B. Braun Pvt. Ltd.	Diameter 1.3mm (18G) Length 70mm 18G Length 73mm	Intradyne Punctue Needle, B. Braun, Germany	1	8+10+8+5+10 +5+5=50	OK

52 Long Introducer Sheaths (23 Cm and More) SRO / SLO Sheaths, All Sizes, QTY = 50

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
19	M/s. ACP Systems,	All Sizes	Input TS, Medtronic, Mexico	1	10+10+8+5+5 +8+5=52	NOT ACCEPTABLE
14	M/s. Physiomed Pvt. Ltd.	23cm or more, SRO/SLO Sheath	Fast Cath,St Jude Medical, USA		8+10+8+5+5+ 6+5=47	OK
13	M/s. Pak Punjab CardexMedical System,	23 cm	Avanti +, Cordis (USA), US/EU/Mexico		10+10+8+5+1 0+5+5=53	OK

53 NTR Diagnostic Catheter (No Torqe Right Cor. Angio Catheter), All Sizes, QTY = 10

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY,	PACKING	MARKS	REMARKS
19	M/s. ACP Systems,	All Sizes	Siteseer, Medtronic, USA	5	10+10+8+5+5 +8+5=52	OK
13	M/s. Pak Punjab CardexMedical System,	All Sizes Special right catheter (SRC)	Infinite, Cordis (USA), US / EU / Mexico		10+10+8+5+1 0+5+5=53	OK

54 IVUS Catheter, Compatible with Existing System, QTY = As per Demand

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
5	M/s. Digital Imaging System	All Sizes	Volcano, USA/Europe		10+10+8+5+1 0+5+5=53	OK

55 Aortic Valve for TAVI Self Expanding/Baloon expendible (operators experience) , Complete Set, QTY = 5

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
16	M/s. Verizone	All Sizes	TAVI, St Jude Medical, USA	1	8+10+8+5+5+ 8+5=49	NOT ACCEPTABLE
19	M/s. ACP Systems,	Complete Set	Medtronic, USA	1	10+10+8+5+5 +8+5=52	OK

56 **ACT Catridge, ,QTY = 10000**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
30	M/s. Imtiaz Brothers	Compatibale with Actalyke Machine	Actalyke, Helena Labcratories, USA		8+10+8+5+8+ 5+5=49	OK
19	M/s. ACP Systems,	402-03	Medtronic, USA		10+10+8-5+5 +8+5=52	NOT ACCEPTABLE
25	M/s. Iqbal & Company	Hemochrone	Accriva, ITC, USA	1	8+10+5+5+10 +5+6=49	NOT ACCEPTABLE

57 Disposable Angiography Drape Set, , Qty = As Per Demand

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
12	M/s. Cardiac Care,		Interset/Fulset, Turkey	1	10+10+8+5+5 +6+5=49	OK

22	M/s. Global Marketing Services	Angiography Radialis Set Contains Table Cover 150cm x 150cm (1), Cellulose Towel 18cm x 25cm (2), Absorbent Towel 56cm x 80cm (1), Angiography drape 240cm 330cm with apertures (1), Table cover 150cm x 150cm (1), Adhesive OP Towel 50cm * 50cm	Barrier, Molnlycke Healthcare	10	4+7+5+5+5+5 +5=36	NOT ACCEPTABLE
30	M/s. Imtiaz Brothers		Blue Drape, Optimal, Turkey	1	8+10+8+5+8+ 5+6=49	OK
4	M/s. Alliance Medical		Medset Medical, Turkey		8+10+8+5+10 +7+5=53	NOT ACCEPTABLE

58 Disposable Angioplasty Drape Set, ,Qty = As Per Demand

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
12	M/s. Cardiac Care,		Interset/Fullset, Turkey	1	10+10+8+5+5 +6+5=49	OK

22	M/s. Global Marketing Services	Angiography Radialis Set Contains Table Cover 150cm x 150cm (1), Cellulose Towel 18cm x 25cm (2), Absorbent Towel 58cm x 80cm (1), Angiography drape 240cm 330cm with apertures (1), Table cover 150cm x 150cm (1) Adhesve Towel 50cm x 50cm	Barrier, Molnlycke Healthcare	10	4+7+5+5+5+5 +5=36	NOT ACCEPTABLE
30	M/s. Imtiaz Brothers		Blue Drape, Optimal, Turkey	1	8+10+8+5+8+ 5+6=49	OK
4	M/s. Alliance Medical		Medset Medical, Turkey		8+10+8+5+10 +7+5=53	NOT ACCEPTABLE

59 I.V Cannulla Dressing , 6cm * 8cm , QTY = 15000

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
30	M/s. Imtiaz Brothers	6cm * 8cm	Medpore, MedmaxTech, Hong Kong		8+10+8+5+8+ 5+6=49	OK

29	M/s. MAGMA	1623W Tegadrem IV Dressing for Cannula Fixation, With Notch, 6cm x 7cm, Latex free & Hypoallergenic, provides Bacterial, Viral, Fungs and water barrier	Tegadrem Dressing, 3M	100	8+10+8+5+10 +5+5=51	OK

60 Disposable Gown , All Size, QTY = 5000

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
12	M/s. Cardiac Care,	All Sizes	Interset/Fullset, Turkey	1	10+10+8+5+5 +6+5=49	OK
22	M/s. Global Marketing Services	Surgical Gown Standard Performance (L), Back Overlapping, Light Weight, Comfortable, Adjustable Necline, Fluid Resistant, Complies EN 13795 All Sizes	Barrier, Molnylcke Healthcare	42		NOT ACCEPTABLE
22	M/s. Global Marketing Services	Surgical Gown Standard Performance (XL), Back Overlapping, Light Weight, Comfortable, Adjustable Necline, Fluid Resistant, Complies EN 13795 All Sizes	Barrier, Molnylcke Healthcare	42	4+7+5+5+5+5 +5=36	NOT ACCEPTABLE

30	M/s. Imtiaz Brothers	All Sizes	Blue Drape, Optimal, Turkey		8+10+8+5+8+ 5+6=49	OK
29	M/s. MAGMA	Disposable Reinforced Gown Medium/Large/ Xlarge Sterile Back Gown, and hand towel Reinforce in the chest and sleeves water Repellant treated	Reinforced Gown, Mediplus, China	1	8+10+8+5+10 +5+5=51	NOT ACCEPTABLE
4	M/s. Alliance Medical		Medset Medical, Turkey		8+10+8+5+10 +7+5=53	NOT ACCEPTABLE

61 IVC Filter , Femoral Approach, QTY = 5

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
16	M/s. Verizone,	Universal	Gunther Vena Cava IVC, Cook Medical, USA	1	8+10+8+5+5+ 8+5=49	NOT ACCEPTABLE
13	M/s. Pak Punjab CardexMedical System,	Femoral Approach	Trapease & Optease , Cordis (USA), Us/Eu/Mexico		10+10+8+5+1 0+5+5=53	OK

62 Bio Absorable Stent CE Marked Prefarably FDA Approved , All Size, QTY = As per Demand

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS

5	M/s. Digital Imaging System	Bioresorable Vascular Scaffold, ABSORB GT1	Bioresorable Vascular Scaffold, ABSORB GT1, Abbott Vascualr, USA/Europe	1	10+10+8+5+1 0+5+5=53	OK
13	M/s. Pak Punjab CardexMedical System,	2.50 mm - 4.00mm Length up to 28mm	Desolve, Cordis (USA), US/EU/Mexico		10+10+8+5+1 0+5+5=53	NOT ACCEPTABLE

63 Temporary ventricular assist catheter with microaxial blood pump that delivers a mean flow of up to 2.5L/Min from left ventricle into aorta for use during high risk percutaneous coronary interventions, Catheter for LVAD, QTY = 10

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
5	M/s. Digital Imaging System	Catheter for LVAD Temporary ventricular assist catheter with microaxial blood pump that delivers a mean flow of up to 2.5L/Min from left ventricle into aorta for use during high risk percutaneous coronary interventions	Abiomed, USA/Europe	1	10+10+8+5+1 0+5+5=53	OK (Order on demand)

64 Temporary ventricular assist catheter with microaxial blood pump that delivers a mean flow of up to 3.3L/Min from left ventricle into aorta for use during high risk percutaneous coronary interventions, Catheter for LVAD, QTY = 10

OFFICE OF THE MEDICAL SUPERINTENDENT,
PUNJAB INSTITUTE OF CARDIOLOGY, LAHORE,
Ph.#. Off.042-99200031 (Ext.313), 042-99203051-61, FAX.#.042-99203204

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
5	M/s Digital Imaging System	Cathter for LVAD Temporary ventricular assist catheter with microaxial blood pump that delivers a mean flow of up to 3.3L/Min from left ventricle into aorta for use during high risk percutaneous coronary interventions	Abiomed, USA/Europe	1	10+10+8+5+1 0+5+5=53	OK (order on demand)

65 ECMO Disposable Set , All Size , QTY = 25

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
0	#N/A		Mullin, Medtronic, USA	1		

66 Embolic Protection device , Distal protection device 5F & 6F compatible , QTY = 100

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
21	M/s. Interex Co.,	All Sizes	Spider FX, Cividien, USA	1	10+15+8+5+5 +6+5=54	NOT ACCEPTABLE
13	M/s. Pak Punjab CardexMedica System,	Distal Protection device 5F & 6F compatibale	Angioguard, Cordis (USA), US/EU/Mexico		10+10+8+5+1 0+5+5=53	NOT ACCEPTABLE
7	M/s Feroz Sons Laboratories	Distal Protection device	Filter Wire EZ	1	10+10+8+5+1 0+8+5=54	OK

67 Clot Suction Cathter , Bigger Extrection monorrail lumen 5F and 6F Competible , QTY = As per Demand

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
10	M/s. Intek Corporation	Bigger Extraction 6F	Thrombuster II, Kaneka, Japan		10+10+5+5+6 +6+5=47	OK

19	M/s. ACP Systems,	Bigger Extraction monorail lumen 5Fr and 6Fr compatibale	Advance, Medtronic, USA	1	10+10+8+5+5 +8+5=52	OK
6	M/s A&E Medical	X-Trace 6Fr	SIS Medical, Usa		8+10+8+5+8+ 7+5=51	NOT ACCEPTABLE
3	M/s Health Tec,	Bigger Extraction monorrial Lumen 5F & 6F Cometiable	V-Max Aspiration catheter, Germany		8+10+8+5+5+ 7+5=48	NOT ACCEPTABLE
17	M/s. Maxims Medical	Bigger Extraction Monorail lumen 6F CE Mark	Semi Cath, Minvasys, France	1	8+10+6+5+6+ 8+5=48	NOT ACCEPTABLE

68 Permanent Pacemaker (Single Chamber) FDA Approved, Not More Than 5 Years Old from date of FDA Approval, VVIR, With MRI Compatible Leads, QTY = 300

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	MARKS	REMARKS
19	M/s. ACP Systems,	VVIR with MRI, Compatible Lead	Relia, Medtronic, Switzerland	1	10+10+8+5+5 +8+5=52	
14	M/s. Physomed Pvt. Ltd.		Endurity/Zephyr, St Jude Medical, USA		8+10+8+5+5- 6+5=47	
17	M/s. Maxims Medical	VVIR with MRI, Compatible Lead, FDA/CE Mark	Effecta SR With Solia PROMRI Lead (Lij Battery Life 15 Years) complete Set, Biotronik, Germany	1	8+10+6+5+6+ 8+5=48	

Technical Evaluation of Disposable of Peads Angio Cardiology 2016-17

paeds.

83 VSD Devices, 8,10,12,14,16, QTY = 4

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
10	M/s. Intek Corporation	8, 10, 12, 14, 16	VSD Occluder Occlutech Sweeden/Germany	1	
21	M/s. Interex Co.,	All Sizes	VSD Muscular Device St. Jude Medical, (AGA), USA	1	
21	M/s. Interex Co.,	All Sizes	Delivery System for VSD Muscular Device St. Jude Medical, (AGA), USA	1	

84 PDA Coil with Delivery System , , QTY = 10

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
16	M/s. Verizone,	All Sizes	PDA Coil With Delivery System, Cook Medical, USA	1 + 1	

85 PDA Devices with Delivery System & Wire, 8*6, 10*8, 12*10, 14*12, 16*14, QTY = 46

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
10	M/s. Intek Corporation	8*10, 10*8, 12*10, 14*12, 16*14	PDA Occluder Set, Occlutech, Sweden/Germany	1	
21	M/s. Interex Co.,	All Sizes	PDA Device with Delivery System & Wire, St.Jude Medical (AGA), USA	1	

86 PDA Long Devices with Delivery System , 6*8, 10*12, 12*15, QTY = 10

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
10	M/s. Intek Corporation	6*8, 10*12, 12*15	PDA Occluder Set, Occlutech, Sweden/Germany	1	

87 ASD Sizing Baloon, 24mm,34mm, QTY = 4

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
21	M/s. Interex Co.,	24mm & 34mm	St.Jude Medical (AGA), USA	1	

88 **Balloon Tip Catheter (Berman Catheter), 5 Fr, 6 Fr, QTY = 10**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
0	#N/A				

89 **CP Stent Covered , 28-34, QTY = 12**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
21	M/s. Interex Co.,	28 & 34cm ✓	CP Stent Covered Numed, Canada	1	ok 2
21	M/s. Interex Co.,	39 & 45cm ✓	CP Stent Covered Numed, Canada	1	ok 2
21	M/s. Interex Co.,	All Sizes ✓	CP Stent Bare Numed, Canada	1	ok 2

90 **Post MI VSD, , QTY = 4**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
21	M/s. Interex Co.,	All Sizes	Post MI VSD Device,St Jude Medical (AGA), USA	1	ok 2
21	M/s. Interex Co.,	All Sizes	Delivery System for Post MI VSD Device ,St Jude Medical (AGA), USA	1	ok 2

91 **Bib Balloon , All Sizes, QTY = 2**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
21	M/s. Interex Co.,	All Sizes	Numed, Canada	1	

92 **Valvoplasty Balloon , 12x3, 14x3, 16x3, 16x4, 30x5, 25x4, 23x4, 20x4 , QTY = 2+4+6+5+4+10+10+10 =52**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
21	M/s. Interex Co.,	All Sizes	Numed, Canada	1	
4	M/s. Alliance Medical		(VASC II & III) Dr. Osypka AG, Germany		

93 **CP Stent Delivery System, All Sizes, QTY = 12**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
21	M/s. Interex Co.,	All Sizes	Cook	1	

94 **High Pressure PTA Balloon with RBP , >10 ATM, QTY = 4**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
0	#N/A				

95 **Bioptomes , , QTY = 2**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
0	#N/A				

96 **ASD Device with Delivery System and Guide Wire , 21mm, 24mm, 27mm, 30mm, 33mm, 36mm, , QTY = 12**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
10	M/s. Intek Corporation	21, 24,27,30,33,36	Figula Flex, Occlutech, Sweden	1	02.8
21	M/s. Interex Co.,	24mm, 30mm, 36mm	St Jude Medical (AGA), USA	1	Not o/L Ausbeh y Size ē 10

97 **ASD Device with Delivery System and Guide Wire , 16mm, 19mm, 20mm, 22mm, 26mm, 28mm, 32mm, 34mm, 36mm, 38mm & 40mm , QTY = 21**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
21	M/s. Interex Co.,	All Sizes	St Jude Medical (AGA), USA	1	o/L 8

98 **Amplatzer Guide Wire Extra Stiff , , QTY = 100**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
21	M/s. Interex Co.,	0.035 x 260	St Jude Medical (AGA), USA	1	O/C for AS25
13	M/s. Pak Punjab CardexMedical System,	0.035 x 260 cm, J Curve, Super Stiff	Emerland, Cordis (USA), US/EU/Mexico		O/C for Vormax-145

Rate

99 **Guide Wire , 0.21, 0.25, QTY = 20**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
0	#N/A			1	

100 **Embolization Coils , 0.38/0.18, QTY = 20**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
16	M/s. Verizone,	All Sizes	IMWCE, Cook Medical, USA	1	O/C

OFFICE OF THE MEDICAL SUPERINTENDENT,
PUNJAB INSTITUTE OF CARDIOLOGY, LAHORE,
Ph.#. Off.042-99200031 (Ext.313). 042-99203051-61, FAX.#.042-99203204

Ms. Samrana Ijaz
Deputy Drug Controller

Dr. Asif Ur Rehman
Assistant Prof of Cardiology

Dr.Sajjad Ahmed
Assistant Prof. of Cardiology

Dr. Aftab Ahmed
PMO

Dr. Ashraf Dar
Incharge EP Department

Dr. Shahid Hameed
Associate Prof Of Cardiology

Dr. Shahid Amin
Head of Cardiology

Technical Evaluation of Disposable of Electro Physiology 2016-17

68 **Permanent Pacemaker (Single Chamber) FDA Approved, Not More Than 5 Years Old from date of FDA Approval, VVIR, With MRI Compatible Leads, QTY = 300**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
19	M/s. ACP Systems,	VVIR with MRI, Compatible Lead	Relia, Medtronic, Switzerland	1	
14	M/s. Physiomed Pvt. Ltd.		Endurity/Zephyr, St Jude Medical, USA		
17	M/s. Maxims Medical	VVIR with MRI, Compatible Lead, FDA/CE Mark	Effecta SR With Solia PROMRI Lead (Lij Battery Life 15 Years) complete Set, Biotronik, Germany	1	

69 **Permanent Pacemaker (Dual Chamber), FDA Approved, Not More Than 5 Years Old from date of FDA Approval, DDDR, with MRI Compatible Leads, QTY = 100**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
19	M/s. ACP Systems,	DDDR with MRI, Compatible Lead	Relia, Medtronic, Switzerland	1	
14	M/s. Physiomed Pvt. Ltd.		Endurity/Zephyr, St Jude Medical, USA		
17	M/s. Maxims Medical	DDDR with MRI, Compatible Lead FDA/CE Mark	Effecta DR With 2 Solia PROMRI Lead (Lij Battery Life 12 Years) complete Set, Biotronik, Germany	1	

70 **Temporary Pacemaker Lead with Sheath, 5 F, 6 F, Soft, Good Torque, Radio Opaque, Josephson Curves, QTY = 1500**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
10	M/s. Intek Corporation	5F/6F	Electroda, Hagmed, Poland	1	
12	M/s. Cardiac Care,	5F, 6F	Oscor Inc, USA	1	
6	M/s A&E Medical	CE Mark	Spikle LC/AE, FIAB/Angiokard, Italy/Germany		
14	M/s. Physiomed Pvt. Ltd.		Pacel, St Jude Medical, USA		
4	M/s. Alliance Medical	5F, 6F	Dr. Osypka AG & Biosensors, Germany & Netharland		

71 **Diagnostic Catheter Quardripolar (E.P) , Coornand Josephson 150 HIS50 Curve Catheter, 5 F - 6 F, 2 - 5 - 2, QTY = 200**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
19	M/s. ACP Systems,	Soloist, Cournand/Josephson 150 Cathter	Soloist, Cournand/Josephson, Quadripolar, Medtronic, USA	1	
14	M/s. Physiomed Pvt. Ltd.	Fixed Curve	Supreme/ Response, St Jude Medical, USA		

4	M/s. Alliance Medical	(2-5-2mm)	(Finder) Dr. Osypka AG, Germany		Used / Not available
7	M/s Feroz Sons Laboratories	Coornand Josepson 150 HIS 50 Curve Catheter 5F, 6F, 2-5-2	Viking 5F,6FCoumand, Josepson, Hiseer	1	

72 **R.F Ablation Catheter , 7 F/4mm Tip/8mm Tip uni/bidirectional catheter, QTY = 50**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
19	M/s. ACP Systems,	7Fr/4mm tip 8mm	RF Marinr, Medtronic, USA	1	
14	M/s. Physiomed Pvt. Ltd.	7F	Livewire, St Jude Medical, USA		
7	M/s Feroz Sons Laboratories	7F, 4mm tip/8mm tip, Uni, Bidirectional catheter	Blazer II Temperature ablation catheter	1	Subject to Ablator

73 **Steerable Dacapolar (E.P) Catheter/Fixed Curve, 5 F,**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
19	M/s. ACP Systems,	5F 2-5-2, 6Fr, 2-5-2	Marinr CS, Medtronic, USA	1	
14	M/s. Physiomed Pvt. Ltd.	Steerbale Decapolar	Livewire, St Jude Medical, USA		
14	M/s. Physiomed Pvt. Ltd.	Fixed Curve Decapolar	Resposne, St Jude Medical, USA		
4	M/s. Alliance Medical	(2-5-2mm)	(Finder) Dr Osypka AG, Germany		Not available
7	M/s Feroz Sons Laboratories	5F, 2-5-2 & 6F 2-5-2	Dyn XT 6F Large Curve steerable decapolar	1	

74 Single Chamber ICD, With DF 4 Compatibility/ DF 1 Compability, ICD Device, QTY = As Per Demand

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
19	M/s. ACP Systems,	ICD Device	Protecta XT, Medtronic, USA	1	
14	M/s. Physiomed Pvt. Ltd.		Fortify Assura VR MRI Safe, St Jude Medical, USA		
17	M/s. Maxims Medical	ICD Device FDA/CE Mark	Iforia3 VRT with protego S DF4 lead Sheath 8 Fr Battery Life 10 years compatiable with DF4 System, Biotronik, Germeny		Not approved.

75 CRT Biventricular Device With Quadripolar L V Lead, CRT-P, QTY = As Per Demand

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
19	M/s. ACP Systems,	CRT-P	Syncra Medtronic, USA	5	
14	M/s. Physiomed Pvt. Ltd.		Allure Quadra, St Jude Medical, USA		
17	M/s. Maxims Medical	CRT-P FDA/CE Mark	Evia HFT New with Sentus leads, Solia leads, & Selectra kit Sheaths. Batter life 9 years, Biotronik, Germany	1	Not approved.

76 **Femoral Sheath with Hamostat Valve, 7 F, 8 F, QTY = 300**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
4	M/s. Alliance Medical	7Fr, 8Fr	Biosensor, Singapore		

77 **Peel Away Long Sheath, 7 F, QTY = 10**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
19	M/s. ACP Systems,	7Fr	Medtronic, USA	1	

78 **Long Sheaths Transeptal with Radiographic Marker/SRO/LRO Sheath, 6 F, QTY = 60**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
14	M/s. Physiomed Pvt. Ltd.		Fast Cath, St Jude Medical, USA		

79 **Insertable Loop Recorder, , QTY = As Per Demand**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
19	M/s. ACP Systems,		Reveal Linq, Medtronic, USA	1	

80 **Drapes for Pacemaker Procedure, Full Set, QTY = As Per Demand**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
12	M/s. Cardiac Care,	Full Set	Interset/Fullset, Turkey	1	Sample
22	M/s. Global Marketing Services	Universal Set Contains Mayo Stand Cover 79cm x 145cm (1), Achesive Op Towel 18cm x 25cm (4), OP Tape 9cm x 49cm (1), Adhesive OP Sheet 175cm x 175cm (1), Achesive OP- Sheet 240cm x 150cm (1), Table Cover 150cm x 190cm (1)	Barrier, Molnicke Healthcare	6	Sample
30	M/s. Imtiaz Brothers	Full Set	Blue Drape, Optimal, Turkey	1	Sample Approved
4	M/s. Alliance Medical		Medset, Turkey		Sample

81 **Ensite Patches tr (3-D Mapping), , QTY = As Per Demand**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
14	M/s. Physiomed Pvt. Ltd.	3D Mapping	Ensite, St Jude Medical, USA		

82 **Cryoablation Ballons for AF Ablation Procedure (Atrial Fibillation) Complete Set With accessories, Cryoballons with**

F.CODE	FIRM NAME	OFFERED SPECIFICATION	BRAND, COMPANY, COUNTRY	PACKING	REMARKS
19	M/s. ACP Systems,	Cryoballons with evencool technology 23mm, 28mm Evencool cryo technology with 8 injection ports and more uniform distal cooling 2 white bands with proximal marker, distal marker distal and deflated balloon segment.	Medtronic, USA	1	